



Tasmanian River Condition Index




Adding it all up: Results and Next Steps

Aniela Grun, NRM South Vic Hughes, University of Canberra 12th International Riversymposium 2009

Pilot results for 7 catchments

Flowerdale

Leven



St Patricks


Lake





Levels of detail

Aggregation & Integration of Information



Level of detail

Scores

Largely unmodified 0.8 - 1

Slightly modified 0.6 - 0.8


Moderately modified 0.4 - 0.6

Substantially modified 0.2 - 0.4

Severely Modified 0 - 0.2













	Ī	Aquatic Life	Hydrology	Streamside Zone
Northwest Bay				
St Patricks				
Lower Huon				
Flowerdale				
Leven				
Lake				
Coal				
				Tasmania S U T


	Aquatic Life	Hydrology	Streamside Zone
Northwest Bay			
St Patricks			
Lower Huon			
Flowerdale			
Leven			
Lake			
Coal			
			Tasmania S U T H





Coal Catchment: Hydrology Site Results

Sites








Coal Catchment: Hydrology Site Results

Sites








Leven Catchment: Hydrology Site Results Sites

Components







Aquatic life = Substantially modified





Aquatic life – Substantially modified

Macro	70	70	70	70	100	100	70	70
invertebrates	70	70	70	70	100	100	70	70





Aquatic life – Substantially modified

Macro invertebrates	70	70	70	70	100	100	70	70
Algae	100	80	100	100	100	100	100	100





Aquatic life – Substantially modified

Macro invertebrates	70	70	70	70	100	100	70	70
Algae	100	80	100	100	100	100	100	100
Fish	5	50	20	5	50	30	30	10





Next steps:

Implementation - integration

Communication

Training

Data management








For more information contact:

Email: agrun@nrmsouth.org.au

Phone: 03 6221 6177



Average Streamside Components scores







Average Streamside Components scores







Average Streamside Components scores

